



BEARING



QINGDAO AMINA INDUSTRIAL CO.,LTD

OFFICE ADDRESS: ROOM 808, NO.319 BUILDING ZE-RUN FINANCE PLAZA ETDZ QINGDAO CHINA
PHO NO:+86-13658677758
FACTORY ADDRESS: NO. 108 WORKSHOP NO.42 YANDIAN INDUSTRY PARK, LINQING CITY, SHANDONG CHINA
PHO NO: +86-13793092062
WECHAT: 13793092062
WHATSAPP: 13793092062
E-MAIL: eric@qaic.net



QINGDAO AMINA INDUSTRIAL CO.,LTD

E-mail: eric@qaic.net



BEARING

FOR THE HIGH QUALITY PRODUCTS AND SATISFYING SERVICE FOR YOUR TRUST

COMPANY PROFILE


Founded in 2011, QAIC Bearing is a dynamic and fast-growing company headquartered in Linqing, a picturesque city renowned for its bearing industry in China. With our own manufacturing facility, we are committed to delivering high-quality bearing products and services to customers both domestically and internationally.

Our product range includes deep groove ball bearings, tapered roller bearings, and spherical roller bearings, as well as non-standard customized bearings tailored to specific customer requirements. These products are widely used in hardware tools, automotive parts, and various industrial applications.

QAIC Bearing has established a strong global presence, exporting to markets in Eastern Europe, the Middle East, Southeast Asia, South Asia, and South America. Our products have earned consistent praise from international clients for their reliability and performance.

Guided by the principles of diligence, integrity, efficiency, and mutual benefit, we strive to meet customer needs with high-quality products and professional service. Our mission is to contribute to the prosperity of the global market and support sustainable industrial progress.

At QAIC, we believe in building long-term partnerships based on trust, quality, and shared success. We look forward to working with you and creating a brilliant future together.



01

DEEP GROOVE BALL BEARING




Deep Groove Ball Bearing main using in motors, fans, pumps, machine tools, textiles ect.



ITEM	D/mm	d/mm	B/mm	Cr/Kn	Cor/Kn
6000	26	10	8	4.55	1.97
6200	30		9	5.10	2.39
6300	35		11	8.20	3.50
6001	28	12	8	5.10	2.39
6201	32		10	6.10	2.75
6301	37		12	9.70	4.20
6002	32	15	9	5.60	2.83
6202	35		11	7.75	3.60
6302	42		13	11.40	5.45
6003	35	17	10	6.80	3.35
6203	40		12	9.60	4.60
6303	47		14	13.50	6.55
6403	62		17	22.70	10.80
6004	42	20	12	9.40	5.05
6204	47		14	13.50	6.55
6304	52		15	15.90	7.90
6404	72		19	28.50	13.90
60/22	44	22	12	9.40	5.05
62/22	50		14	12.90	6.80
63/22	56		16	18.40	9.25
6005	47	25	12	10.10	5.85
6205	52		15	14.00	7.85
6305	62		17	21.20	10.90
6405	80		21	34.50	17.50
60/28	52	28	12	12.50	7.40
62/28	58		16	17.90	9.75
63/28	68		18	26.70	14.00
6006	55	30	13	13.20	8.30
6206	62		16	19.50	11.30
6306	72		19	26.70	15.00
6406	90		23	43.50	23.90
60/32	58	32	13	11.80	8.05
62/32	65		17	20.70	11.60
63/32	75		20	29.80	16.90
6007	62	35	14	16.00	10.30
6207	72		17	25.70	15.30
6307	80		21	33.50	19.10

ITEM	D/mm	d/mm	B/mm	Cr/Kn	Cor/Kn
6407	100	35	25	55.00	31.00
6008	68	40	15	16.80	11.50
6208	80		18	29.10	17.80
6308	90		23	40.50	24.00
6408	110		27	63.50	36.50
6009	75	45	16	21.00	15.10
6209	85		19	32.50	20.40
6309	100		25	53.00	32.00
6409	120		29	77.00	45.00
6010	80	50	16	21.80	16.60
6210	90		20	35.00	23.20
6310	110		27	62.00	38.50
6410	130		31	83.00	49.50
6011	90	55	18	28.30	21.20
6211	100		21	43.50	29.20
6311	120		29	71.50	45.00
6411	140		33	89.00	54.00
6012	95	60	18	29.50	23.20
6212	110		22	52.50	36.00
6312	130		31	82.00	52.00
6412	150		35	102.00	64.50
6013	100	65	18	30.50	25.20
6213	120		23	57.50	40.00
6313	140		33	92.50	60.00
6413	160		37	111.00	72.50
6014	110	70	20	38.00	31.00
6214	125		24	62.00	44.00
6314	150		35	104.00	68.00
6414	180		42	128.00	89.50
6015	115	75	20	39.50	33.50
6215	130		25	66.00	49.50
6315	160		37	113.00	77.00
6415	190		45	138.00	99.00
6016	125	80	22	47.50	40.00
6216	140		26	72.50	53.00
6316	170		39	123.00	86.50
6416	200		48	164.00	125.00

ITEM	D/mm	d/mm	B/mm	Cr/Kn	Cor/Kn
6017	130	85	22	49.50	43.00
6217	150		28	83.50	64.00
6317	180		41	133.00	97.00
6018	140	90	24	58.00	49.50
6218	160		30	96.00	71.50
6318	190		43	143.00	107.00
6019	145	95	24	60.50	54.00
6219	170		32	109.00	82.00
6319	200		45	153.00	119.00
6020	150	100	24	60.00	54.00
6220	180		34	122.00	93.00
6320	215		47	173.00	141.00
6021	160	105	26	72.50	65.50
6221	190		36	133.00	105.00
6321	225		49	184.00	153.00
6022	170	110	28	82.00	73.00
6222	200		38	144.00	117.00
6322	240		50	205.00	179.00
6024	180	120	28	87.50	79.20
6224	215		40	155.00	131.00
6324	260		55	228.00	208.00
6026	200	130	33	105.00	96.80
6226	230		40	165.00	148.00
6326	280		58	253.00	242.00



02

SPHERICAL ROLLER BEARING




Spherical roller bearing main using mining machinery, textile machinery, electric power engineering machinery ect..




ITEM	D/mm	d/mm	B/mm	Cr/Kn	Cor/Kn
22205	52	25	18	35.8	36.8
22206	62	30	20	30.5	38.2
22207	72	35	23	45.2	59.5
22208	80	40	23	49.8	68.5
22308	90		33	73.5	90.5
22209	85	45	23	52.2	73.2
22309	100		36	108	140
22210	90	50	23	84.5	105
22310	110		40	128	170
22211	100	55	25	102	125
22311	120		43	155	198
22212	110	60	28	122	155
22312	130		46	168	225
22213	120	65	31	150	195
22313	140		48	188	252
22214	125	70	31	158	205
22314	150		51	230	315
22215	130	75	31	162	215
22315	160		55	262	388
22216	140	80	33	175	238
22316	170		58	288	405
22217	150	85	36	210	278
22317	180		60	308	440
22218	160	90	40	240	322
22318	190		64	365	542
22219	170	95	43	278	380
22319	200		67	385	570
22220	180	100	46	310	425
22320	215		73	450	668
23120	165		52	320	505
23220	180		60.3	400	570
22222	200	110	53	405	575
22322	240		80	545	832
23122	180		56	375	595
23222	200		69.8	515	785
22224	215	120	58	470	678
22324	260		86	645	992

ITEM	D/mm	d/mm	B/mm	Cr/Kn	Cor/Kn
23124	200	120	62	450	715
23224	215		76	610	955
22226	230	130	64	550	810
22326	280		93	722	1140
23126	210		64	482	802
23226	230		80	678	1080
22228	250	140	68	560	930
22328	300		102	825	1340
23128	225		68	490	935
23228	250		88	802	1280
22230	270	150	73	610	1000
22330	320		108	1020	1740
23130	250		80	512	1080
23230	270		96	935	1520
22232	290	160	80	825	1250
22332	340		114	1040	1770
23132	270		86	520	1110
23232	290		104	1080	1760
22234	310	170	86	975	1500
22334	360		120	1150	2060
23134	280		88	730	1390
23234	310		110	1200	2030
22236	320	180	86	1010	1590
22336	380		126	1260	2270
23136	300		96	900	1720
23236	320		112	1280	2170
22238	340	190	92	818	1510
22338	400		132	1390	2530
23138	320		104	788	1830
23238	340		120	1450	2490
22240	360	200	98	920	1740
22340	420		138	1490	2720
23140	340		112	910	2010
23240	360		128	1610	2790

03 PILLOW BLOCK BALL BEARING



Pillow block ball bearing main using agricultural machinery, textile machinery, mining machinery ect.




UNIT NO.	d/mm	D/mm	B/mm	Bearing No	Houusing No
UCP203	17.00	40.00	27.40	UC203	P203
UCF203	17.00	40.00	27.40	UC203	F203
UCFL203	17.00	40.00	27.40	UC203	FL203
UCFC203	17.00	40.00	27.40	UC203	FC203
UCT203	17.00	40.00	27.40	UC203	T203
UCPA203	17.00	40.00	27.40	UC203	PA203
UCP204	20.00	47.00	31.00	UC204	P204
UCF204	20.00	47.00	31.00	UC204	F204
UCFL204	20.00	47.00	31.00	UC204	FL204
UCFC204	20.00	47.00	31.00	UC204	FC204
UCT204	20.00	47.00	31.00	UC204	T204
UCPA204	20.00	47.00	31.00	UC204	PA204
UCP205	25.00	52.00	34.10	UC205	P205
UCF205	25.00	52.00	34.10	UC205	F205
UCFL205	25.00	52.00	34.10	UC205	FL205
UCFC205	25.00	52.00	34.10	UC205	FC205
UCT205	25.00	52.00	34.10	UC205	T205
UCPA205	25.00	52.00	34.10	UC205	PA205
UCP205-16	25.40	52.00	34.10	UC205-16	P205
UCP206	30.00	62.00	38.10	UC206	P206
UCF206	30.00	62.00	38.10	UC206	F206
UCFL206	30.00	62.00	38.10	UC206	FL206
UCFC206	30.00	62.00	38.10	UC206	FC206
UCT206	30.00	62.00	38.10	UC206	T206
UCPA206	30.00	62.00	38.10	UC206	PA206
UC206-20	31.75	62.00	38.10	UC206-20	P206
UCP207	35.00	72.00	42.90	UC207	P207
UCF207	35.00	72.00	42.90	UC207	F207
UCFL207	35.00	72.00	42.90	UC207	FL207
UCFC207	35.00	72.00	42.90	UC207	FC207
UCT207	35.00	72.00	42.90	UC207	T207
UCPA207	35.00	72.00	42.90	UC207	PA207
UCP207-20	31.75	72.00	42.90	UC207-20	P207
UCP208	40.00	80.00	49.20	UC208	P208
UCF208	40.00	80.00	49.20	UC208	F208
UCFL208	40.00	80.00	49.20	UC208	FL208
UCFC208	40.00	80.00	49.20	UC208	FC208

UNIT NO.	d/mm	D/mm	B/mm	Bearing No	Houusing No
UCT208	40.00	80.00	49.20	UC208	T208
UCPA208	40.00	80.00	49.20	UC208	PA208
UCP208-24	38.10	80.00	49.20	UC208-24	P208
UCP209	45.00	85.00	49.20	UC209	P209
UCF209	45.00	85.00	49.20	UC209	F209
UCFL209	45.00	85.00	49.20	UC209	FL209
UCFC209	45.00	85.00	49.20	UC209	FC209
UCT209	45.00	85.00	49.20	UC209	T209
UCPA209	45.00	85.00	49.20	UC209	PA209
UCP209-28	44.45	85.00	49.20	UC209-28	P209
UCP210	50.00	90.00	51.60	UC210	P210
UCF210	50.00	90.00	51.60	UC210	F210
UCFL210	50.00	90.00	51.60	UC210	FL210
UCFC210	50.00	90.00	51.60	UC210	FC210
UCT210	50.00	90.00	51.60	UC210	T210
UCPA210	50.00	90.00	51.60	UC210	PA210
UCP210-32	50.80	90.00	51.60	UC210-32	P210
UCP211	55.00	100.00	55.60	UC211	P211
UCF211	55.00	100.00	55.60	UC211	F211
UCFL211	55.00	100.00	55.60	UC211	FL211
UCFC211	55.00	100.00	55.60	UC211	FC211
UCT211	55.00	100.00	55.60	UC211	T211
UCPA211	55.00	100.00	55.60	UC211	PA211
UCP211-32	50.80	100.00	55.60	UC211-32	P211
UCP212	60.00	110.00	65.10	UC212	P212
UCF212	60.00	110.00	65.10	UC212	F212
UCFL212	60.00	110.00	65.10	UC212	FL212
UCFC212	60.00	110.00	65.10	UC212	FC212
UCT212	60.00	110.00	65.10	UC212	T212
UCPA212	60.00	110.00	65.10	UC212	PA212
UCP212-36	57.15	110.00	65.10	UC212-36	P212
UCP213	65.00	120.00	65.10	UC213	P213
UCF213	65.00	120.00	65.10	UC213	F213
UCFL213	65.00	120.00	65.10	UC213	FL213
UCFC213	65.00	120.00	65.10	UC213	FC213
UCT213	65.00	120.00	65.10	UC213	T213
UCPA213	65.00	120.00	65.10	UC213	PA213

UNIT NO.	d/mm	D/mm	B/mm	Bearing No	Housing No
UCP213-40	63.50	120.00	65.10	UC213-40	P213
UCP214	70.00	125.00	74.60	UC214	P214
UCF214	70.00	125.00	74.60	UC214	F214
UCFL214	70.00	125.00	74.60	UC214	FL214
UCFC214	70.00	125.00	74.60	UC214	FC214
UCT214	70.00	125.00	74.60	UC214	T214
UCPA214	70.00	125.00	74.60	UC214	PA214
UCP214-44	69.85	125.00	74.60	UC214-44	P214
UCP215	75.00	130.00	77.80	UC215	P215
UCF215	75.00	130.00	77.80	UC215	F215
UCFL215	75.00	130.00	77.80	UC215	FL215
UCFC215	75.00	130.00	77.80	UC215	FC215
UCT215	75.00	130.00	77.80	UC215	T215
UCPA215	75.00	130.00	77.80	UC215	PA215
UCP215-48	76.20	130.00	77.80	UC215-48	P215
UCP216	80.00	140.00	82.60	UC216	P216
UCF216	80.00	140.00	82.60	UC216	F216
UCFL216	80.00	140.00	82.60	UC216	FL216
UCFC216	80.00	140.00	82.60	UC216	FC216
UCT216	80.00	140.00	82.60	UC216	T216
UCPA216	80.00	140.00	82.60	UC216	PA216
UCP217	85.00	150.00	85.70	UC217	P217
UCF217	85.00	150.00	85.70	UC217	F217
UCFL217	85.00	150.00	85.70	UC217	FL217
UCFC217	85.00	150.00	85.70	UC217	FC217
UCT217	85.00	150.00	85.70	UC217	T217
UCPA217	85.00	150.00	85.70	UC217	PA217
UCP218	90.00	160.00	96.00	UC218	P218
UCF218	90.00	160.00	96.00	UC218	F218
UCFL218	90.00	160.00	96.00	UC218	FL218
UCFC218	90.00	160.00	96.00	UC218	FC218
UCT218	90.00	160.00	96.00	UC218	T218
UCPA218	90.00	160.00	96.00	UC218	PA218

04 TAPERED ROLLER BEARING




Tapered roller bearing main using engineering machinery, auto spare parts, havey machinery ect



ITEM	d/mm	D/mm	B/mm	Cr/Kn	Cor/Kn
32203	17	40.00	16.00	27.4	27.5
32303		47.00	19.00	31.9	29.9
30203		40.00	12.00	20.8	21.8
30303		47.00	14.00	28.2	27.2
32204	20	47.00	19.25	30.8	30
32304		52.00	21.00	42.8	46.2
30204		47.00	14.00	28.2	30.5
30304		52.00	15.00	30.5	28.4
32205	25	52.00	19.25	36.4	43.2
32305		62.00	24.00	61.5	68.8
30205		52.00	15.00	32.2	37
30305		62.00	17.00	46.8	48
32206	30	62.00	20.00	51.8	63.8
32306		72.00	27.00	81.5	96.5
30206		62.00	17.50	43.2	50.5
30306		72.00	21.00	59	63
32207	35	72.00	23.00	70.5	89.5
32307		80.00	31.00	99	118
30207		72.00	17.00	54.2	63.5
30307		80.00	21.00	75.2	82.5
32208	40	80.00	23.00	77.8	97.2
32308		90.00	33.00	115	148
30208		80.00	18.00	63	74
30308		90.00	23.00	90.8	108
32209	45	85.00	23.00	80.5	105
32309		100.00	36.00	145	188
30209		85.00	19.00	67.8	83.5
30309		100.00	25.00	108	130
32210	50	90.00	23.00	82.8	108
32310		110.00	42.50	178	235
30210		90.00	20.00	73.2	92
30310		110.00	27.00	130	158
32211	55	100.00	25.00	108	142
32311		120.00	43.00	202	270
30211		100.00	21.00	90.8	115
30311		120.00	29.00	152	188
32212	60	110.00	28.00	132	180

ITEM	d/mm	D/mm	B/mm	Cr/Kn	Cor/Kn
32312	60	130.00	46.00	228	302
30212		110.00	22.00	102	130
30312		130.00	31.00	170	210
32213	65	120.00	31.00	160	222
32313		140.00	48.00	260	350
30213		120.00	23.00	120	152
30313	70	140.00	33.00	195	242
32214		125.00	31.00	168	238
32314		150.00	51.00	257	315
30214	75	125.00	24.00	132	175
30314		150.00	35.00	218	272
32215		130.00	31.00	170	242
32315	80	160.00	55.00	348	482
30215		130.00	25.00	138	185
30315		160.00	37.00	252	318
32216	85	140.00	33.00	198	278
32316		170.00	58.00	388	542
30216		140.00	26.00	160	212
30316	90	170.00	39.00	278	352
32217		150.00	36.00	228	325
32317		180.00	60.00	422	592
30217	95	150.00	31.00	178	238
30317		180.00	41.00	305	388
32218		160.00	40.00	270	395
32318	100	190.00	64.00	478	682
30218		160.00	30.00	200	270
30318		190.00	43.00	342	440
32219	105	170.00	43.00	302	448
32319		200.00	67.00	427	544
30219		170.00	32.00	228	308
30319	110	200.00	45.00	317	368
32220		180.00	46.00	340	512
32320		215.00	73.00	491	637
30220	115	180.00	34.00	255	350
30320		215.00	47.00	344	400
32221		190.00	50.00	380	578
32321	120	225.00	77.00	543	707

ITEM	d/mm	D/mm	B/mm	Cr/Kn	Cor/Kn
30221	105	190.00	36.00	285	398
30321		225.00	49.00	371	432
32222	110	200.00	53.00	430	665
32322		240.00	80.00	607	797
30222		200.00	38.00	315	445
30322		240.00	50.00	407	475
32224	120	215.00	62.00	478	758
30324		260.00	86.00	825	1230
30224		215.00	40.00	338	482
30324		260.00	55.00	505	611
32226	130	230.00	64.00	552	888
32326		280.00	93.00	852	1160
30226		230.00	40.00	365	520
30326		280.00	58.00	640	855
LM11749/10	LM11949/10	LM12749/10	12649/10	L45449/10	L44643/10
L44649/10	LM48548/10	LM67048/10	LM68149/10	LM102949/10	LM104949/11
JLM104948/10	25580/20	25590/20	25877/21	2788/20	28580/21
28548/21	17887/31	28680/22	28985/20	29590/20	212049/11
218248/10	518445/10	29749/10	320/28	322/32	33281/462
3386/20	37431/625	3984/20	418/414	462/453X	47487/20
3780/20	3782/20	50KW01	131305	580/572	594A/592A
501349/10	603049/11	819349/10	88048/10	37425/625	3490/20



05 AUTOMOTIVE BEARING



Auto wheel bearing main using in Auto cars.



ITEM	d/mm	D/mm	B/mm	C/mm	Weight(kg)
DAC25520037	25.00	52.00	37.00	37.00	0.18
DAC25520043	25.00	52.00	43.00	43.00	0.36
DAC25550043	25.00	55.00	43.00	43.00	0.44
DAC25560032	25.00	56.00	32.00	32.00	0.34
DAC25720043	25.00	72.00	43.00	43.00	0.88
DAC27530043	27.00	53.00	43.00	43.00	0.35
DAC27600050	27.00	60.00	50.00	50.00	0.56
DAC28580042	28.00	58.00	42.00	42.00	0.47
DAC28610042	28.00	61.00	42.00	42.00	0.56
DAC29530037	29.00	53.00	37.00	37.00	0.31
DAC30580042	30.00	58.00	42.00	42.00	0.41
DAC30600037	30.00	60.00	37.00	37.00	0.42
DAC30600042	30.00	60.00	42.00	42.00	0.49
DAC32700038	32.00	70.00	38.00	38.00	0.62
DAC34620037	34.00	62.00	37.00	37.00	0.41
DAC34640034	34.00	64.00	34.00	34.00	0.38
DAC34640037	34.00	64.00	37.00	37.00	0.43
DAC34660037	34.00	66.00	37.00	37.00	0.5
DAC35640037	35.00	64.00	37.00	37.00	0.41
DAC35650035	35.00	65.00	35.00	35.00	0.41
DAC35650037	35.00	65.00	37.00	37.00	0.43
DAC35660033	35.00	66.00	33.00	33.00	0.43
DAC35660037	35.00	66.00	37.00	37.00	0.47
DAC35680037	35.00	68.00	37.00	37.00	0.52
DAC35720028	35.00	72.00	28.00	28.00	0.49
DAC35720033	35.00	72.00	33.00	33.00	0.57
DAC35720034	35.00	72.00	34.00	34.00	0.58
DAC36680033	36.00	68.00	33.00	33.00	0.48
DAC37720037	37.00	72.00	37.00	37.00	0.6
DAC37740045	37.00	74.00	45.00	45.00	0.79
DAC38700038	38.00	70.00	38.00	38.00	0.55
DAC38720040	38.00	72.00	40.00	40.00	0.63
DAC38740050	38.00	74.00	50.00	50.00	0.78
DAC39680037	39.00	68.00	37.00	37.00	0.48
DAC39720037	39.00	72.00	37.00	37.00	0.57
DAC39740039	39.00	74.00	39.00	39.00	0.66
DAC40720037	40.00	72.00	37.00	37.00	0.55

[illegible]

ITEM	d/mm	D/mm	B/mm	C/mm	Weight(kg)
DAC35680037ABS	DAC35720033ABS	DAC37720033ABS	DAC37720037ABS	DAC38700037ABS	DAC38700038ABS
DAC38710039ABS	DAC38730040ABS	DAC38740040ABS	DAC39720037ABS	DAC39740039ABS	DAC40750037ABS
DAC40750039ABS	DAC42800045ABS	DAC42820036ABS	DAC42820042ABS	DAC43780044ABS	DAC43800040ABS
DAC45840039ABS	DAC45840042/40ABS	DAC45880039ABS	DAC45830039ABS	DAC45880039ABS	DAC43790041/38ABS
89544-06090	43550-06010	43550-06080	43550-F4010	42450-F4010	43550-26010
42450-76020	43550-0D070	43550-0D050	43560-0D050	42410-12090	42450-02090
43550-02030	42450-02250	43550-28010	42450-28030	43550-26110	43550-26010
43550-06010	43550-33010	43550-28030	43550-0N010	42450-30020	42460-48040



QAIC



Together, we map the world.